

# CIIRC Journal Publications as January 2017-01-14

Czech Technical University in Prague  
Czech Institute of Informatics, Robotics and Cybernetics  
166 36 Prague 6, Jugoslavských partyzanu 3, Czech Republic  
<http://www.ciirc.cvut.cz>

## Reference

- [1] J. Bemš, O. Starý, M. Macaš, J. Žegklitz, and P. Pošík. Innovative default prediction approach. *Expert Systems with Applications*, 42(17):6277–6285, October 2015.
- [2] M. Bresler, D. Průša, and V. Hlaváč. Online recognition of sketched arrow-connected diagrams. *International Journal on Document Analysis and Recognition*, 19(3):253–267, September 2016.
- [3] L. Bukata, P. Šůcha, Z. Hanzálek, and P. Burget. Energy optimization of robotic cells. *IEEE TRANSACTIONS ON INDUSTRIAL INFORMATICS*, 2016.
- [4] J. Chudoba, M. Saska, M. Kulich, T. Báča, and L. Přeučil. Exploration and mapping technique suited for visual-features based localization of mavs. *Journal of Intelligent and Robotic Systems*, 84(1):351–368, December 2016.
- [5] E. Cirugeda-Roldán, D. Novák, V. Křemen, D. Cuesta-Frau, M. Keller, A. Luik, and M. Šrutová. Characterization of complex fractionated atrial electrograms by sample entropy: An international multi-center study. *Entropy*, 17(11):7493–7509, November 2015.
- [6] M. Doret, J. Spilka, V. Chudáček, P. Goncalves, and P. Abry. Fractal analysis and hurst parameter for intrapartum fetal heart rate variability analysis: A versatile alternative to frequency bands and lf/hf ratio. *PLoS ONE*, 10(8):1–19, August 2015.
- [7] A. Doumanoglou, J. Stria, G. Peleka, I. Mariolis, V. Petřík, A. Karkagos, L. Wagner, V. Hlaváč, T.-K. Kim, and S. Malassiotis. Folding clothes autonomously: A complete pipeline. *IEEE Transactions on Robotics*, 32(6):1461–1478, December 2016.
- [8] J. Dvořák and Z. Hanzálek. Using two independent channels with gateway for flexray static segment scheduling. *Industrial Informatics, IEEE Transactions on*, 12(5):1887–1895, October 2016.
- [9] V. Fabián, J. Havlík, J. Dvořák, V. Křemen, P. Sajgalik, V. Bellamy, J. A. Schirger, P. Sovka, and B. D. Johnson. Differences in mean arterial pressure of young and elderly people measured by oscillometry during inflation and deflation of the arm cuff. *Biomedizinische Technik / Biomedical Engineering*, 61(6):611–621, 12 2016.
- [10] V. Gerla, V. Křemen, N. Covassin, L. Lhotská, E. Saifutdinova, J. Bukartyk, V. Mařík, and V.-K. Somers. Automatic identification of artifacts and unwanted physiologic signals in eeg and eog during wakefulness. *Biomedical Signal Processing and Control*, 31(0):381–390, January 2017.
- [11] Z. Hanzálek, T. Tunys, and P. Šůcha. An analysis of the non-preemptive mixed-criticality match-up scheduling problem. *Journal of Scheduling*, 19(5):601–607, October 2016.
- [12] K. Hengster-Movric, M. Šebek, and S. Čelikovský. Structured lyapunov functions for synchronization of identical affine-in-control agents - unified approach. *Journal of the Franklin Institute*, 353(14):3457–3486, September 2016.
- [13] L. Hruban, J. Spilka, V. Chudáček, P. Janků, M. Huptych, M. Burša, A. Hudec, M. Kacerovský, M. Koucký, M. Procházka, V. Korečko, J. Segeta, O. Šimetka, A. Měchurová, and L. Lhotská. Agreement on intrapartum cardiotocogram recordings between expert obstetricians. *Journal of Evaluation in Clinical Practice*, 21(4):694–702, August 2015.

- [14] P. Jíša, J. Valentin, L. Benešová, R. Černý, and J. Plitz. Vliv přídavku rejuvenátorů na vlastnosti zestárnutého asfaltového pojiva. *Silniční obzor*, 77(7):200–203, 07 2016.
- [15] P. Kadera, P. Novák, V. Jirkovský, and P. Vrba. Performance models preventing multi-agent systems from overloading computational resources. *Automation, Control and Intelligent Systems*, 2(6):96–102, 12 2014.
- [16] P. Karvelis, J. Spilka, G. Georgoulas, V. Chudáček, C. Stylios, and L. Lhotská. Combining latent class analysis labeling with multiclass approach for fetal heart rate categorization. *Physiological Measurement*, 36(5):1001–1024, MAY 2015.
- [17] T. Krajník, M. Kulich, L. Mudrová, R. A. Ambrus, and T.D. Duckett. Where’s waldo at time t? using spatio-temporal models for mobile robot search. In *Proceedings of 2014 IEEE International Conference on Robotics and Automation*, pages 2140–2146, Piscataway, US, 2015.
- [18] V. Kubelka, M. Reinštein, and T. Svoboda. Improving multimodal data fusion for mobile robots by trajectory smoothing. *Robotics and Autonomous Systems*, 84:88–96, October 2016.
- [19] V. Kučera, D. Pilbauer, T. Vyhliđal, and N. Olgac. Extended delayed resonators - design and experimental verification. *Mechatronics*, 41:29–44, February 2017.
- [20] M. Kulich, T. Juchelka, and L. Přeučil. Comparison of exploration strategies for multi-robot search. *Acta Polytechnica*, 55(3):162–168, 2015.
- [21] M. Kulich, K. Košnar, V. Lhotský, and L. Přeučil. Systém pro exploraci v polygonální doméně, 2015.
- [22] J. Kužílek, V. Křemen, F. Souček, and L. Lhotská. Independent component analysis and decision trees for ecg holter recording de-noising. *PLoS ONE*, 9(6):1–16, June 2014.
- [23] L. Lhotská. Women in science and engineering: Students, professionals and authors. *journal of the International Society for Telemedicine and eHealth*, 3(1), 2015.
- [24] L. Lhotská, M. Burša, M. Huptych, and M. Hrachovina. Big data versus rare cases. *International Journal on Biomedicine and Healthcare*, 3(1):31–32, 2015.
- [25] M. Macaš, F. Moretti, A. Fonti, A. Giantomassi, G. Comodi, M. Annunziato, S. Pizzuti, and A. Capra. The role of data sample size and dimensionality in neural networkbased forecasting of building heating related variables. *Energy and Buildings*, 111(1):299–310, 2016.
- [26] D. Martinec, I. Herman, and M. Šebek. On the necessity of symmetric positional coupling for string stability. *IEEE Transactions on Control of Network Systems*, 2016.
- [27] P. Novák, P. Kadera, V. Jirkovský, P. Vrba, and S. Biffl. Engineering of coupled simulation models for mechatronic systems. *Studies in Computational Intelligence - Service Orientation in Holonic and Multi-agent Manufacturing*, 594:3–11, february 2015.
- [28] A. Orozco-Duque, D. Novák, V. Křemen, and J. Bustamante. Multifractal analysis for grading complex fractionated electrograms in atrial fibrillation. *Physiological Measurement*, 34(11):2269–2284, October 2015.
- [29] M. Otáhal and O. Štěpánková. New tool for visualization of time series and anomalies in streaming data. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 2016(4):1353–1364, 8 2016.
- [30] M. Pecka, K. Zimmermann, M. Reinštein, and T. Svoboda. Controlling robot morphology from incomplete measurements. *IEEE Transactions on Industrial Electronics*, 64(2):1773–1782, Feb 2017.
- [31] D. Pilbauer, T. Vyhliđal, and N. Olgac. Delayed resonator with distributed delay in acceleration feedback - design and experimental verification. *IEEE-ASME TRANSACTIONS ON MECHATRONICS*, 21(4):2120–2131, 2016.
- [32] A. Procházka, O. Vyšata, M. Vališ, O. Ťupa, M. Schatz, and V. Mařík. Bayesian classification and analysis of gait disorders using image and depth sensors of microsoft kinect. *Digital Signal Processing*, 47:169–177, December 2015.
- [33] A. Procházka, O. Vyšata, M. Vališ, O. Ťupa, M. Schätz, and V. Mařík. Use of the image and depth sensors of the microsoft kinect for the detection of gait disorders. *Neural Computing and Applications*, 26(2):1621–1629, February 2015.

- [34] E.M.C. Roldán, A.M. Picó, D. Novák, D.C. Frau, and V. Křemen. Atrial electrogram complex fractionated entropy study. *Experimental & Clinical Cardiology*, 20(9):5566–5574, 2014.
- [35] J.D. Sara, A. Surgue, V. Křemen, B. Qiang, Y. Sapir, Z.I. Attia, M.J. Ackerman, P.A. Friedman, A. Leman, and P.A. Noseworthy. Electrocardiographic predictors of coronary microvascular dysfunction in patients with non-obstructive coronary artery disease: Utility of a novel t wave analysis program. *INTERNATIONAL JOURNAL OF CARDIOLOGY*, 203:601–606, January 2016.
- [36] TS Sarkar, AP Bhondekar, M. Macaš, R. Kumar, R. Kaur, A. Sharma, A. Gulati, and A. Kumar. Towards biological plausibility of electronic noses: A spiking neural network based approach for tea odour classification. *Neural Networks*, 71:142–149, november 2015.
- [37] M. Saska, V. Vonásek, J. Chudoba, J Thomas, L Loianno, and V Kumar. Swarm distribution and deployment for cooperative surveillance by micro-aerial vehicles. *Journal of Intelligent and Robotic Systems*, 84(1):469–492, December 2016.
- [38] T. Strasser, F. Andrén, J. Kathan, C. Cecati, C. Buccella, P. Siano, P. Leitao, G. Zhabelova, V. Vyatkin, P. Vrba, and V. Mařík. A review of architectures and concepts for intelligence in future electric energy systems. *IEEE Transactions on Industrial Electronics*, 62(4):2424–2438, 2015.
- [39] A. Sugrue, J.M. Bos, V. Křemen, B. Qiang, P. Friedman, M.J. Ackerman, and P.A. Noseworthy. Quantitative t wave analysis can identify patients with symptomatic long qt syndrome. *Circulation*, (132), 2015.
- [40] A. Surgue, J.M. Bos, V. Křemen, B. Qiang, P.A. Friedman, M.J. Ackerman, and P.A. Noseworthy. Identification of genotype-specific electrocardiogram patterns in long qt syndrome using a novel, automated t wave analysis program. *Circulation*, (132), 2015.
- [41] A. Surgue, V. Křemen, B. Qiang, S.H. Sheldon, CV DeSimone, Y. Sapir, B.L. Striemer, P. Brady, S.J. Asirvatham, M.J. Ackerman, P. Friedman, and P.A. Noseworthy. Electrocardiographic predictors of torsadogenic risk during dofetilide or sotalol initiation: Utility of a novel t wave analysis program. *Cardiovascular Drugs and Therapy*, 29(5):433–441, October 2015.
- [42] A Surgue, P.A. Noseworthy, V. Křemen, J.M. Bos, B Qiang, R.K. Rohatgi, Y. Sapir, Z.I. Attia, P. Brady, S.J. Asirvatham, P.A. Friedman, and M.J. Ackerman. Identification of concealed and manifest long qt syndrome using a novel t wave analysis program. *Circulation: Arrhythmia and Electrophysiology*, 9(7), July 2016.
- [43] K. Tmejová, D. Hynek, R. Kenšová, I. Blažková, L. Vysloužilová, O. Štěpánková, M. Pohanka, J. Zehnálek, M. Vaculovičová, V. Adam, and R. Kizek. Electrochemical analysis of metallothionein in chicken exposed to cadmium ions. *International Journal of Electrochemical Science*, 10(5):3923–3934, May 2015.
- [44] J. Tožička, J. Jakubův, and A. Komenda. Psm-based planners description for codmap 2015 competition. In *Proceedings of the Competition of Distributed and Multi-Agent Planners (CoDMAP-15)*, pages 29–32, Jerusalem, 2015.
- [45] J. Tožička, J. Jakubův, A. Komenda, and M. Pěchouček. Privacy-concerned multiagent planning. *Knowledge and Information Systems*, 48(3):581–618, September 2016.
- [46] O. Tupa, A. Procházka, O. Vyšata, M. Schatz, J. Mareš, M. Valis, and V. Mařík. Motion tracking and gait feature estimation for recognising parkinson’s disease using ms kinect. *Biomedical Engineering Online*, 14, oct 2015.
- [47] J.P. Ugarte, A. Orozco-Duque, C. Tobón, V. Křemen, D. Novák, J. Saiz, C. Oesterlein, C. Schmitt, A. Luik, and J. Bustamante. Dynamic approximate entropy electroanatomic maps detect rotors in a simulated atrial fibrillation model. *PLoS ONE*, (9)12(9(12)):1–19, December 2014.
- [48] R. Václavík, P. Šůcha, and Z. Hanzálek. Roster evaluation based on classifiers for the nurse rostering problem. *Journal of Heuristics*, 22(5):667–697, October 2016.
- [49] T. Valentová, J. Altman, and J. Valentin. Impact of asphalt ageing on the activity of adhesion promoters and the moisture susceptibility. *Transportation Research Procedia*, 0(14):768–777, červen 2016.
- [50] V. Vonásek, M. Saska, K. Košnar, and L. Přeučil. Motion planning with adaptive motion primitives for modular robots. *Applied Soft Computing*, 34(0):678–692, 9 2015.

- [51] V. Vonásek, M. Saska, L. Winkler, and L. Přeučil. High-level motion planning for cpg-driven modular robots. *Robotics and Autonomous Systems*, 68(68):116–128, June 2015.
- [52] P. Vrba, V. Mařík, P. Siano, P. LeitĀĽo, G. Zhabelova, V. Vyatkin, and T. Strasser. A review of agent and service-oriented concepts applied to intelligent energy systems. *Industrial Informatics, IEEE Transactions on*, 10(3):1890–1903, May 2014.
- [53] M. Yadollahi, A. Procházka, M. Kašparová, O. Vyšata, and V. Mařík. Separation of overlapping dental arch objects using digital records of illuminated plaster casts. *Biomedical Engineering Online*, 14, Jul 2015.
- [54] M. Zarybnicka, P. Kubiznak, J. Sindelar, and V. Hlaváč. Smart nest box: a tool and methodology for monitoring of cavity-dwelling animals. *METHODS IN ECOLOGY AND EVOLUTION*, 7(4):483–492, April 2016.